

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300 Fax.: 416.231.1626 Toll Free: 1.877.682.8772 www.tssa.org

May 26, 2017

SCOTT ISLIP ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON LOR 2H8 CA

Service Request Type.: BPV-National ACI Central Service Request No.: 2051922 Your Reference No.: ROSEMOUNT R-0709A/B Registered to.: EMERSON PROCESS MANAGEMENT, ROSEMOUNT ANALYTICAL INC

Dear SCOTT ISLIP,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0F19160.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis Administrative Assistant_ BPV Engineering Tel. : 416-734-3423 Fax : 416-231-6183 Email :tfrancis@tssa.org

Putting Public Safety First

NEW BRUNSWICK NUNAVUT	Nova scotia Yukon	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	EMERSON PROCESS MAN	AGEMENT ROSEMOUNT ANALYTICAL,	INC.
MANUFACTURERS ADDRESS;	2400 BARRANCA PARKWA	Y, IRVINE, CA, 92606, USA	
PLANT LOCATIONS: CATEGORY OF FITTI	USA, MEXICO NGS TO BE REGISTERED, C		TITLE OF THE BEANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, a Measuring devices, including p pressure transmitten	ections, and hose assemblies; nd aleam izapa pressure gauges, icvol gauges,	all types sight glasses, lovels, or	- ASME B31.1 - ASME B31.3
G Certified capacity-reled pressu bolicre, pressure vessels, pipl M Pressure relaining component	ng and fusible plugs	s primary over pressure protection on a sbove categories	
N Nuclear components: Class 1	D Class 2 D Class 3 D, (N	leeling CNSC or ASME requirements)	
SHOW MANUFACTURER5 NAM	E. TRADEMARK, OR LOGO ROSEMOUN & EMERSON	AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D CAST D OTHER R DESCHARE OTHER: NON METALLIC
LIST OF SUPPORTING DOCUM	Process Management	TION OF THE ACTUAL ITEMS TO BE R	EGISTERED.
DECLARATION: MANAGER C DANA CROWLEY ENGINEERIN responsibility for the quality of the my knowledge represents the p temperature ratings, and identifi manufacture of these fittings is or in part and has been verified declaration conscientiously bell Signature of Declarer: Declared before me at	F COMPLIANCE <u>HG</u> (1000 rodu 2) employed by the end product do solemni product for which registration Fication markings are in acc regulated by a Quality Con by DNV-GL ISO 9001:2008	y declare that the information contain in is sought. The dimensions, material cordance with the herein named stand strol Program which extends to each as being suitable for it wing that it is of the same force and use USETHI	eing the person having full authority and ad in this form is true and to the best of als of construction, pressure lards. I further declare that the plant where fabrication occurs in whole hat purpose and I make this solemn
	y Dik eny	ne for Regulatory Authority was	
CRN:0F19160.5		ce for Regulatory Authority use sied after ten (10) years from the date PROVINCE OF PR COMBILINITIES. J	CERTECONCO. INCE EDWARD ISLAND AND & ENVIRONMENT
FIDM: 521 Notes: 1. All fittings shall be registered i 2. Each category shall be support forms and one copy of supporting 3. The declaration shall be made responsibility for the quality of the 4. Quality control programs shall at a maximum interval of five (5);	Ned with two Statutory Declara documentation. by the person having full authority of the person having full authority of the person having full authority of the personal statutory of the personal st	or. DATE: April	1160.59 13017 SERVICES SECTION SURE VESSEL BRANCE Sect. 1.0 - Fillings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	EMERSON PROCESS	MANAGEMENT ROSEMOUNT ANALYTICAL,	INC.
MANUFACTURERS ADDRESS:	2400 BARRANCA PARK	WAY, IRVINE, CA, 92606, USA	
PLANT LOCATIONS:	USA, MEXICO		
		D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conr E Straihers, fitters, separators, a D Measuring devices, including j preasure transmitters G Certified capacity-rated press boilers, pressure vessels, pipe P Pressure retaining component	ections, and hose assemb nd sleam traps brassura gauges, level gau ura relief devices acceptat ing and fusible plugs	olies: all types uges, alght glasses, levels, or ole as primary over pressure protection on	- ASME B31.1 - ASME B31.3
), (Meeting CNSC or ASME requirements)	
HOW MANUFACTURERS NAM	ROSEMO	DN.	TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D CAST D OTHER OF DEBCAME OTHER: NON METALLIC
LIST OF SUPPORTING DOCUM	Process Manage	FICATION OF THE ACTUAL ITEMS TO BE R	EGISTERED;
ny knowledge represents the emperature ratings, and ident nanufacture of these fittings is or in part and has been verifie lectaration conscientiously be Signature of Declarer;	NG	emnly declare that the information contain tration is sought. The dimensions, materia in accordance with the herein named atance control Program which extends to each p soom as being suitable for t d knowing that it is of the same force and the control Program which extends to each p as being suitable for t d knowing that it is of the same force and the control Program which extends to each p as being suitable for t	als of construction, pressure Jards. I further declare that the plant where fabrication occurs in whole hat purpose and 1 make this solemn
		s space for Regulatory Authority use	
This		alidated after ten (10) years from the date	elacceptance.
	-	PRES	SURE

April

OF19160.5

Par

0

REGULATORAL 1.0 - Fitlings Rev. 1 06/2003

I TO23

Date

a

C.R.N.

Notes:

 All fittings shall be registered in the name of the Manufacturer. 	Dwg
2. Each category shall be supported with two Statutory Daclaration	Signed
forms and one copy of supporting documentation.	Ciginou
3. The declaration shall be made by the person having full authority and	\sim
responsibility for the quality of the and product.	
 Quality control programs shall be resubmitted for validation 	\
at a maximum interval of five (5) years.	

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
MANUFACTURERS NAME:	EMERSON PROCESS	EMERSON PROCESS MANAGEMENT ROSEMOUNT ANALYTICAL, INC.			
MANUFACTURERS ADDRESS:	2400 BARRANCA PAR	KWAY, IRVINE, CA, 92606, USA			
PLANT LOCATIONS:	USA, MEXICO				
CATEGORY OF FITTI	IGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION		
boilers, pressure vessels, pipi H Pressure retaining component	ections, and hose assemi nd steam traps pressure gauges, level gau ure relief devices acceptal ng and fusible plugs s that do not fall into one	blies: all types uges, sight glasses, levels, or ble as primary over pressure protection on	- ASME B31.1 - ASME B31.3		
SHOW MANUFACTURERS NAM		GO AS IT WILL APPEAR ON THE PROD			
	ROSEMO	UNT	CAST D OTHER (A DESCRIBE OTHER:		
	Ę.		NON METALLIC		
	EMERS Process Manage				
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:					
- SCOPE OF CRN, DRAWINGS	, CALCULATIONS, REPO	ORTS, WORLDWIDE LOCATIONS APPEN	IDIX		

UNICODE CTATUTORY DECLARATION CORE FOR THE DECISTRATION OF FITTING DESIGNS

DECLARATION: MANAGER OF COMPLIANCE DANA CROWLEY ENGINEERING (see note 3) employed by EMERSON/ROSEMOUNT _ and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and I make this solemn or in part and has been verified by DNV-GL ISO 9001:2008 declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

	K		ang one of			
Signature o						CATHERINE ANN STIP Notery Public - California
Declared b	efore me at <u>Count</u>	ty of Orange, Calforn	na	US 🏝	ТНІ	Orange County
This_5th	day of Jai	nuary AD 2017	7		JO F F	Commission # 2171376
Commissio	ner of Oaths	Then A.		Bruns	SWIEK-	My Comm. Expires Dec 5, 2020
		and you	1		BLIC SAFETY	
					URE VESSEL A	
	This reg	gistration must be revalida	ted after ter	(10) years from	the date of acception	ptance.
	OF19160.5				OF 1916	0.57
FID#:	521			1/2	C	مسدد
			EX	AMINER	n cuo	
Notes:					ior	
		the name of the Manufacture		CHIEF BOILE	RINSPECTOR	
farme and	and come of our notine .	ed with two Statutory Declara documentation.		-(1 n)	NU 131	201/
3. The dec	claration shall be made I	by the person having full auth	nority and DA		un ist	
responsibil	ity for the quality of the	ena product.	Г	BLRs	T PVs	
	control programs shall b ium interval of five (5) ye	be resubmitted for validation	۴	l Extended and	tand to the	Sect. 1.0 - Fittings Rev. 1 06/2003
		êtiê.	ß	7 FITTINGS	COMPONE	1

NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	EMERSON PROCESS M	ANAGEMENT ROSEMOUNT ANALYTICAL,	INC.
MANUFACTURERS ADDRESS	2400 BARRANCA PARKV	VAY, IRVINE, CA, 92606, USA	
PLANT LOCATIONS:	USA, MEXICO		
CATEGORY OF FITTI	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplin B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible cont	nections, and hose assembli		- ASME B31.1 - ASME B31.3
E Strainers, filters, separators, a Measuring devices, including pressure transmitters G Certified capacity-rated press boilers, pressure vessels, pip	pressure gauges, level gaug ure relief devices acceptable	es, sight glasses, levels, or e as primary over pressure prolection on	
H Pressure retaining component		-	
		(Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAN	ROSEMOU ¢		TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D CAST D OTHER & DESCRIBE OTHER: NON METALLIC
	EMERSO Process Manageme		
y knowledge represents the	ING (see note 3) employed the end product do solen	by EMERSON/ROSEMOUNT and be	eing the person having full authority and
mperature ratings, and ident anufacture of these fittings is in part and has been verifie	tification markings are in a s regulated by a Quality C d by DNV-GL ISO 9001:200	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p	als of construction, pressure lards. I further declare that the plant where fabrication occurs in whole hat purpose and I make this solemn
emperature ratings, and ident nanufacture of these fittings is r in part and has been verifie eclaration conscientiously be signature of Declarer:	tification markings are in a s regulated by a Quality C d by <u>DNV-GL ISO 9001:200</u> elieving it to be true, and k anty of Orange, Cald	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p 08 as being suitable for the knowing that it is of the same force and e	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County - Commission # 2171376
emperature ratings, and ident hanufacture of these fittings is r in part and has been verifie eclaration conscientiously be ignature of Declarer: peclared before me at <u>Cou</u> his <u>5th</u> day of <u>t</u> commissioner of Oaths	tification markings are in a s regulated by a Quality C d by <u>DNV-GL ISO 9001:200</u> elieving it to be true, and k anty of Orange, Cal	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p 08 as being suitable for th knowing that it is of the same force and e	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County
emperature ratings, and ident nanufacture of these fittings is r in part and has been verifie eclaration conscientiously be ignature of Declarer:	tification markings are in a s regulated by a Quality C d by <u>DNV-GL ISO 9001:200</u> elieving it to be true, and k anty of Orange, Califer January AD 20 Autor AD 20	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p 08 as being suitable for the knowing that it is of the same force and e 017 OF F 017 OF F space for Regulatory Authority use	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 202
emperature ratings, and ident hanufacture of these fittings is r in part and has been verifie eclaration conscientiously be ignature of Declarer; ecclared before me at <u>Cou</u> his <u>5th</u> day of <u>1</u> commissioner of Oaths r Notary Public: (sign) <u>1</u> This r	tification markings are in a s regulated by a Quality C d by DNV-GL ISO 9001:200 elieving it to be true, and k a DAC Conception Inty of Orange, Califor January AD 200 January AD 200 This a registration must be reval	ation is sought. The dimensions, materia accordance with the herein named stand control Program which extends to each p as being suitable for the knowing that it is of the same force and e arma USETHI 017 OFF	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 200
emperature ratings, and ident anufacture of these fittings is r in part and has been verifie eclaration conscientiously be ignature of Declarer:	tification markings are in a s regulated by a Quality C d by DNV-GL ISO 9001:200 elieving it to be true, and k a DAC Conception Inty of Orange, Califor January AD 200 January AD 200 This a registration must be reval	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p 08 as being suitable for the knowing that it is of the same force and e 017 OF F 017 OF F space for Regulatory Authority use	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 201
emperature ratings, and ident anufacture of these fittings is r in part and has been verifie eclaration conscientiously be ignature of Declarer:	tification markings are in a s regulated by a Quality C d by DNV-GL ISO 9001:200 elieving it to be true, and k a DAC Conception Inty of Orange, Califor January AD 200 January AD 200 This a registration must be reval	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p 08 as being suitable for the knowing that it is of the same force and e 017 OF F 017 OF F space for Regulatory Authority use	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 20 of acceptance. Newformfam1 Labrador Service NL
emperature ratings, and ident hanufacture of these fittings is r in part and has been verifie eclaration conscientiously be ignature of Declarer:	tification markings are in a s regulated by a Quality C d by DNV-GL ISO 9001:200 elieving it to be true, and k a DAC Conception Inty of Orange, Califor January AD 200 January AD 200 This a registration must be reval	ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p 08 as being suitable for the knowing that it is of the same force and e 017 OF F 017 OF F space for Regulatory Authority use	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 200 of acceptance.
emperature ratings, and ident hanufacture of these fittings is r in part and has been verifie eclaration conscientiously be signature of Declarer:	tification markings are in a s regulated by a Quality C d by <u>DNV-GL ISO 9001:200</u> elieving it to be true, and k anty of Orange, Cake January AD 20 January AD 20 This s registration must be reval	ation is sought. The dimensions, materia accordance with the herein named stand control Program which extends to each p as being suitable for the knowing that it is of the same force and e armta USETHI 017 OFF space for Regulatory Authority use lidated after ten (10) years from the date	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 20 of acceptance. Newformafland Labrador Service NL Registered OF 19160.50
emperature ratings, and ident hanufacture of these fittings is r in part and has been verifie eclaration conscientiously be signature of Declarer:	tification markings are in a s regulated by a Quality C d by <u>DNV-GL ISO 9001:200</u> elieving it to be true, and k anty of Orange, Califfe January AD 20 This s registration must be reval in the name of the Manufac orted with two Statutory Dec ng documentation. the person having full a he end product.	ation is sought. The dimensions, materia accordance with the herein named stand control Program which extends to each p as being suitable for the knowing that it is of the same force and e armia USETHI 017 OFF space for Regulatory Authority use lidated after ten (10) years from the date	als of construction, pressure lards. I further declare that the blant where fabrication occurs in whole hat purpose and I make this solemn effect as if made under oath. CATHERINE ANN STIP Notary Public - California Orange County Commission # 2171376 My Comm. Expires Dec 5, 20 of acceptance. Newforstfam1 Labrador Service NL Registered OF 19160.50 Date Engineering and Inspection Services

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	EMERSON PROCESS	MANAGEMENT ROSEMOUNT ANALYTICA	L, INC.
MANUFACTURERS ADDRESS:	2400 BARRANCA PAR	KWAY, IRVINE, CA, 92606, USA	
PLANT LOCATIONS:	USA, MEXICO		
CATEGORY OF FITTI	NGS TO BE REGISTERE	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves			- ASME B31.1 - ASME B31.3
boilers, pressure vessels, pipi H Pressure retaining component	nd steam traps pressure gauges, level ga ure relief devices accepta ng and fusible plugs s that do not fall into one	uges, sight glasses, levels, or ble as primary over pressure protection on	
SHOW MANUFACTURERS NAM		OGO AS IT WILL APPEAR ON THE PRODUC	
	ROSEMO	UNT	FORGED DI WELDED DI WROUGHT D CAST DI OTHER (A) DESCRIBE OTHER:
	la la		NON METALLIC
	EMERS Process Manage		
LIST OF SUPPORTING DOCUM		FICATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
- SCOPE OF CRN, DRAWINGS	, CALCULATIONS, REPO	ORTS, WORLDWIDE LOCATIONS APPEND	IX
DECLARATION: MANAGER (DANA CROWLEY ENGINEERII	OF COMPLIANCE	ed by EMERSON/ROSEMOUNT and	being the person having full authority a
ny knowledge represents the permetature ratings, and identi	the end product do sol product for which regis fication markings are i regulated by a Quality	lemnly declare that the information conta tration is sought. The dimensions, mate in accordance with the herein named stary Control Program which extends to each	ined in this form is true and to the best rials of construction, pressure ndards. I further declare that the

declaration conscientiously believing it to be true, and knowing that it is of Signature of Declarer; Declared before me at County of Orange, California This _5th day of AD _2017 Commissioner of Oaths	USETHI OFF
or Notary Public: (sign) This space for Regulatory This registration must be revalidated after ten (10 CRN:	
FID#: 521 Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	CRV 0F19160.57 DATE 4/18/2017 BOILERS BRANCT Sect. 1.0 - Fittings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	Nova Scotia Yukon	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	EMERSON PROCESS MAN	AGEMENT ROSEMOUNT ANALYTICAL,	INC.
MANUFACTURERS ADDRESS:	2400 BARRANCA PARKWA	Y, IRVINE, CA, 92506, USA	
PLANT LOCATIONS;	USA, MEXICO		
CATEGORY OF FITT	NGS TO BE REGISTERED. C	RCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
boliers, pressure vessels, pipi H Pressure retaining component N Nuclear components: Class 1	lections, and hose assemblies; nd sizem traps pressure gauges, lovel gauges, ure relief devices acceptable as ng and fusible plugs a that do not fail into one of the D Class 2 D Class 3 D, (M	all types eight glasses, levels, or primary over pressure protection on above cstegories lecting CNSC or ASME requirements)	- ASME B31.1 - ASME B31.3
SHOW MANUFACTURERS NAM		8 IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	ROSEMOUN		FORGED [] WELGED [] WROUGHT [] CAST [] OTHER & DESCRIBE GTHER:
	λ.		NON METALLIC
	EMERSON. Process Management		
		TION OF THE ACTUAL ITEMS TO BE RE	GISTERED;

manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by <u>DNV-GL ISO 9001:2008</u> as being suitable for that purpose and I make this solemn declaration conscientiously balleving it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Deciarer: Deciared before me et This 5th dey of January AD 2017 Commissioner of Oeths or Notary Public: (sign)	USETHI OFF
This space for Regulate	ory Authority ase
This registration must be revalidated after ten	
CRN:	Northwest Territories REGISTERED
FID#;	UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>OF 19160-55</u> SIGNED DATE <u>MAN 1 2-11 2017</u> Sect. 1.0 - Pftings Rev. 1 05/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	EMERSON PROCESS M	IANAGEMENT ROSEMOUNT ANALYTICAL,	INC.
MANUFACTURERS ADDRESS	2400 BARRANCA PARK	WAY, IRVINE, CA, 92606, USA	
PLANT LOCATIONS:	USA, MEXICO		
CATEGORY OF FITT	NGS TO BE REGISTERED	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplin B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible con			- ASME B31.1 - ASME B31.3
E Strainers, filters, separators, (Measuring devices, including pressure transmitters G Certified capacity-rated press boliers, pressure vessels, pip M Pressure retaining componen	pressure gauges, level gaug ure relief devices acceptabl ing and fusible plugs	e as primary over pressure protection on	
		(Meeting CNSC or ASME requirements)	
an a		BO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	ROSEMO		FORGED DI WELDED O WROUGHT D CAST D OTHER R DESCRIBE OTHER: NON METALLIC
	EMEŘSO	N.	
DECLARATION: MANAGER			
ny knowledge represents the emperature ratings, and ident nanufacture of these fittings is or in part and has been verifie	the end product do sole product for which registr lification markings are in s regulated by a Quality d by DNV-GL ISO 9001:20	mnly declare that the information contain ation is sought. The dimensions, materia accordance with the herein named stand Control Program which extends to each p	Is of construction, pressure lards. I further declare that the Mant where fabrication occurs in whole hat purpose and I make this solemn

Commissioner of Oaths	
or Notary Public: (sign) (alter Uly)	NUNAVUT
This space for Regula This registration must be revalidated after te	Nunavit Pressure vessels Act
CRN: 0F19160.5 FID#: 521	REGISTERED
 Notes: All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	CRN OF 19160. SN Date April 17, 2017 Signed Chief Inspector Territorial Registration Fee 106/2003