NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Emerson Process N	Management, Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS:	2400 Barranca Park	kwav. Irvine, CA 92606	
PLANT LOCATIONS: CATEGORY OF FITTIN	Address above and	Circuito del Progreso #27. Párroue Industrial Pro RED. CIRCLE ONE CATEGORY ONLY	poresso. Mexicali. BC, Mexico. CP-21190
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all fine valves D Expansion joints, flexible conne Strainers, filters, separators, an F Measuring devices, including or pressure transmitters G Certified capacity-rated pressur boilers, pressure vessels, pipin M Pressure retaining components N Nuclear components: Class 1 ii	s, tees, elbows, Ys, p ections, and hose ass d steam traps ressure gauges, level re relief devices acce; g and fusible plugs that do not fall into or Class 2 □ Class	emblies: all types gauges, sight glasses, levels, or ptable as primary over pressure protection on ne of the above categories 3 □, (Meeting CNSC or ASME requirements)	Product data sheets and proof pressure tests.
SHOW MANUFACTURERS NAME	TRADEMARK, OR	LOGO AS IT WILL APPEAR ON THE PRODUC	
	lytical		PORGED WELDED CO WROUGHT CO CAST CO OTHER DESCRIBE OTHER: molded, madined
LIST OF SUPPORTING DOCUME	NTATION AND IDEN	ITIFICATION OF THE ACTUAL ITEMS TO BE F	REGISTERED:
Model 398 Product Data Sheet, Pt	98-71-398, Rev. E.	80-TRT, Rev. 00 from RCM Technologies	
Dana Crowley esponsibility for the quality of the hy knowledge represents the pro- emperature ratings, and identification anufacture of these fittings is re- r in part and has been verified be- eclaration conscientiously believed ignature of Declarer: Orange (Orange (March day of March Ammissioner of Oaths Notary Public: (sign)	e end product do so duct for which registred by a Quality Det Norske Ventas ving It to be true, ar County. California US	nd knowing that it is of the same force and e	ed in this form is true and to the best of als of construction, pressure ards. I further declare that the plant where fabrication occurs in whole nat purpose and I make this solemn as if made under oath. CATHERINE ANN STIP Commission # 1997425 Notary Public - California I A L Orange County My Comm. Expires Dec 5, 2018
This regi	The stration must be re-	is space for Regulatory Authority use	CCEPTED
CRN: 0F07880.2 AD	D	is spage for Regulatory Authority use validated after ten (10) years from the date PROVINCE OF PENVIRONMEN	or acceptance. PRINCE EDWARD ISLAND VT, LABOUR & JUSTICE
FID#: 14714			07880.29
Notes: 1. All fittings shall be registered in the supported of the supported of the supporting do the declaration shall be made by esponsibility for the quality of the erat. Quality control programs shall be at a maximum interval of five (5) years.	I with two Statutory Decumentation. I the person having fund product. resubmitted for valid.	eclaration INSPECTION BOILER/PRESS	SERVICES SECTION SURE VESSEL BRANCH Sect. 1.0 - Fittings Rev. 1 06/2003
 Quality control programs shall be at a maximum interval of five (5) yea 	resubmitted for validars.	ation	

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES :	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS N	AME: Emerson Process Manac	dement, Rosemount Analytical Inc.	
MANUFACTURERS A	ODRESS: 2400 Barranca Parkway.	Irvine, CA 92808	
PLANT LOCATIONS:	.Address,above and Circu	lto del Progreso #27. Parrque Industrial P	rogresso, Mexicall, BC, Mexico, CP-21190
		, GIRGLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all line velve C Valves: all line velve	g couplings, tees, elbows, Ys, plugs, s	·	Product data sheets and proof pressure tests.
D Expansion joints, flex	lible connections, and hose assembli	es: all types	
(F)Meaeuring devices, li	arators, and steam traps rejuding pressure gauges, lavel gaug	99. sight glasses, levels, or	}
pressure transmitters		as primary over pressure protection on	
poliers, pressure ves	Sels, biping and fusible blugs		•
H Pressure retaining co	mponents that do not fall into one of	the above categories	
N Nuclear components:	Class 1 Class 2 Class 3 C.	(Meeting CNSC of ASME requirements)	4
SHOWMANUFACTURE	RS NAME. TRADEMARK. OR LOG	DAS IT WILL APPEAR ON THE PRODU	
ROS	EMOUNT'		FORGED WELDED D WROUGHT D
1101		·	nolded, machined
	Analytical		. William , William College
LIST OF SUPPORTING	DOCUMENTATION AND IDENTIFIC	CATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
	sensor proof pressure test 23080-T)		- Company of the Company
Model 395 Product Data	Sheet, FDS-71-396, Rev. E.	•	
	•		
ECLARATION:		Martin Britania and Company of the C	
Dana Crowley		v . Emerson Process Management and	being the person having full authority and
sponsibility for the que	illly of the end product do solemi	ily declare that the information choici	and in this form is foun and to the hort of
y knowleage represen	is the product for which registrati	on is sought. The dimensions, thater cordance with the herein named star	ials of construction, presents
auniseine of Wese Ili	ings is requisted by a Quality Co	introl Program which extends to each	plant where fabrication occurs in whole
in baur suro vas desui.	AGLIIGO DA DALLAULAKA ABIILAS	an being suitable for	that hitthee and I make this column
uonscientios ?	aly believing it to be true, and kn	owing that it is of the same force and	effect as if made under oath.
gnature of Daclarer:	Jana Crear Car	in the state of th	CATHERINE ANN STIP
eclared before me at	Orango County, California, USA	USE	Commission # 1897425
nis 1274 day o	F March AD/20		Notary Public - California
ommissioner of Oaths	7)		My Comm. Expires Dec 5, 2018
Notary Public: (sign) ∫	Talken /	2	
		- Jackson	
		ice for Regulatory Authority use	
	Tims registration must be revailed	ated after Ion (10) years from the date	ESSUP.
RN: <u>0F07880</u>	.2 ADD		25
TD#:14714		(Sec. 1904)	ASCOTTA
1127, 1 <u>1, 14, 14</u>		Do te-A	pril 5/13. (C)
ioles: All fittiogs whall be real	tioned is the easier of the bine.	- CON OFO	7880. 28 ADD
. Each tategory shall be	stered in the name of the Manufactur supported with two Statutory Declars	a-lia a	4
orms and one copy of sup	porting documentation, a made by the person having full auti	D 05 do	scribed
esponsibility for the qualit	y of the end product	nonty and	D
. Quality control program t a maximum interval of f	is shall be resubmitted for validation	Signed	anne l'espet.
, a masimon interval of f	ve (a) years,	<i>△</i>	_ 4Sect. 1.0 - 6/6/46s Rev. 1.06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUVANUM YUKON NORTHWEST TERRITORIES MANUFACTURERS NAME: Emerson Process Management, Rosemount Analytical Inc. MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606 PLANT LOCATIONS Address above and Circuito del Progreso #27. Parrque Industrial Progresso. Mexicali, BC, Mexico, CP-21190 CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Product data sheets and proof B Flanges: all flanges pressure tests. C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F)Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED | WELDED | WROUGHT | CAST | OTHER | CAST | OTHER DESCRIBE OTHER: Analytical molded madrined LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Model 398 and 398R pH sensor proof pressure test 23080-TRT, Rev. 00 from RCM Technologies Model 398 Product Data Sheet, PDS-71-398, Rev. E. **DECLARATION:** Dana Crowley _(see note 3) employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Ventas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: < CATHERINE ANN STIP Orange County, California, USA Commission # 1997425 Declared before me at Notary Public - California This 12 TH day of 1. Orange County Commissioner of Oaths or Notary Public: (sign) DEPT OF PUBLIC SAFETY This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the fate of acceptance VESSEL ACT OF07880.2 ADD FID#:14714 1. All fittings shall be registered in the name of the Manufacturer. fe)f 2. Each category shall be supported with two Statutory Declaration CHIEF BOILER INSPECT forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and

BLRSset 1.0 - Fitting Rev. 1 06/2003

responsibility for the quality of the end product.

at a maximum interval of five (5) years.

4. Quality control programs shall be resubmitted for validation

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS. NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NÉWFOUNDLAND AND LABRADOR NUNAVUT YUKON NORTHWEST TERRITORIES MANUFACTURERS NAME Emerson Process Management, Rosemount Analytical Inc. MANUFACTURERS ADDRESS: 2400 Barranca Parkway, Irvine, CA 92606 PLANT LOCATIONS: Address above and Circuito del Progreso #27, Parrque Industrial Progresso, Mexicali, BC, Mexico, CP-21190 CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Product data sheets and proof B Flanges: all flanges pressure tasts. C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types 6 Strainers, filters, separators, and steam traps (F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 🗆 Class 2 🗂 Class 3 🗒 (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED WELDED ID WROUGHT ID CAST ID OTHER EAD DESCRIBE OTHER: Analytical molded, machined LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED. Model 398 and 398R pH sensor proof pressure test 23080-TRT, Rev. 00 from RCM Technologies Model 398 Product Data Sheet, PDS-71-398, Rev. E. DECLARATION: 1 Dana Crowley Ligour note 3) Employed by Emerson Process Management and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards, I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Vertiss as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: 🔍 CATHERINE ANN STIP Declared before me at Orange County, California, USA Commission,# 1997425 Notary Public - California This 12 TH day of March A L Orange County My Comm. Expires Dec 5, 2016 Commissioner of Oaths or Notary Public: (sign) This space for Regulatory Authority us GOVERNMENT OF This registration must be revailed after ten (10) years from the property to the property of t AND LABRADOR Labrador CRN: OFO7880.2 ADD Department of Government Services FID#:14714 Registered OF D 7880.20 2013 4 18 Notes GOVERNMENT SERVICES CENTRE 1. All fittings shall be registered in the name of the Manufacturer. Engineering and thatection Services 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. Registered by 3. The declaration shall be made by the person having full authority and

responsibility for the quality of the end product.

at a maximum interval of five (5) years.

4. Quality control programs shall be resubmitted for validation

UNDER THE AUTHORITY OF THE

PUBLIC SAFETY ACT AND

THE BOILER, PRESSUREIUMS BY AND 103 COMPRESSED GAS REGULATIONS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Emerson Process Man	lacement. Rosemount Analytical Inc.	dan katalaga da
MANUFACTURERS ADDRESS	: 2400 Barranca Parkwa	v. Irvine. CA 92606	
PLANT LOCATIONS:	Address above and Cir	cuito del Progreso #27. Parroue industrial P	rooresso, Mexicali, BC, Mexico, CP-21190
A Pine Shines in the	<u>INGS TO BE REGISTERS</u>	D. CIRGLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
) PONCIO, PICOSULO (655819, DE)	nections, and hose assem and steam traps pressure gauges, level gar ure relief devices acceptat	blies: all types ugas, sight glasses, levels, or ble as primary over pressure protection on	Product data sheets and proof pressure tests.
M Pressure retaining componen	ts that do not fall into one o	of the above categories	
N Nuclear components: Class	🛘 Class 2 🗀 Class 3 🔾	l, (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	E. TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
ROSEM	Alint*		FORGEO D WELDED D WROUGHT D CAST D OTHER GE
	alytical		molded, machined
\(\alpha\) iii	aryticar		More ex, macouries
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIF	IÇATION OF THE ACTUAL ITEMS TO BE	
Model 398 and 398R pH sensor Model 398 Product Data Sheet, I	proof pressure lest 23080.	TRT, Rev. 00 from RCM Technologies	The second section of the sect
DECLARATION: Dana Crowley) lawaran Marian	
esponsibility for the quality of the person	reduct for which registre cation markings are In a egulated by a Quality C by Uat Norske Verilas aving it to be true, and k County. California, USA	tion is sought. The dimensions, materiaccordance with the herein named standontrol Program which extends to each as being sultable for nowing that it is of the same force and	dards. I further declare that the plant where fabrication occurs in whole
This reg	Istration must be revalid	dated after ten (10) years from the date	of a graption pe
ORN: OF07880.2 AD		No.	VE A STATE OF THE
FID#:14714 lotes: . All fittings shall be registered in	the Rame of the Manufact.	ires.	NOFOZ980. PYAPO
t. Each category shall be supported by the support of the control of the control of the category of the cat	id with two Statutory Decla locumentation. y the person having full au ind product. e resubmitted for validation	ration thority and	BOILERS BRIDGE
a re constantinenti urraka satribitik di (G) A G	419,		Sept 10 - Filtrana Day 1 Acrons 1

NEW BRUNSWICK NUNAVUT	NOVA SCOTIÁ YUKON	PRINCE EDWARD-ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Emerson Process Manag	rement. Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS:	2400 Barranca Parkway.	Inine, CA 92608	
PLANT LOCATIONS;		llo del Progreso #27. Perrove Industrial Progr	esso, Moxicoli, BC, Mexico, CP-21190
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conni	gs, tees, elbows, Ys, pluga,		Product data sheets and proof pressure tests.
E Strainers, filters, separators, er (F) Measuring devices, including p pressure transmitters G Certified capitalty-rated pressure.	nd steam trapa ressure gauges, level gaug ro rolle! devicos acceptable	••	
bollers, pressure vessele, pipin H Pressure retaining components	that do not fall into one of	the above categories	
		(Meeting CNSC or ASME requirements)	1
SHOW MANUFACTURERS NAME	, TRADEMARK, OR LOGI	O AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
ROSEMO	NINT"		FORGED IN WELDED IN WEDUCHT IN CAST IN OTHER IN DESCRIPTION OTHER
1			molded, madiined
Ana	ılytical		Monte ex , Monde evices
LIST OF SUPPORTING DOCUME	NTATION AND IDENTIFE	ATION OF THE ACTUAL ITEMS TO BE RE	GISTEREO:
Model 398 Froduct Data Sheet, Pi	OS-71-398, Rev. <i>E</i> .		
my knowledge represents the premperature ratings, and identific naturators of these fittings is not in part and has been verified the lectaration conscientiously belief the property of Declarer:	e end product do solemi oduct for which registrati- cation markings are in ac- egulated by a Quality Oc by Del Noraka Varina ving it to be true, and kn county. California USA	owing that it is of the same force and off	I in this form is true and to the best of construction, pressure rds, I further declare that the int where fabrication occurs in whole it purpose and I make this solemn
This co	This spa	are for Regulatory Authority une	
CRN: <u>0F07880.2</u> AD		/	forthwest Territories
		/ , RE	GISTERED
PID#: 14714 Notes: 1. All fittings shall be registered in 1. Each category shall be supported forms and one copy of supporting d. 3. The declaration shall be made by responsibility for the quality of the e. A. Quality control programs shall be at a maximum interval of five (f) ye.	id with two Statutory Declar locumentation. y the person having full aut and product. e resubmitted for validation	reir. ation hority and UNDER TI THE BOIL. VE C.R.N. QE SIGNED 20 DATE 201	HE AUTHURITY OF ER AND PRESSURE SSEL ACT. 07880 2T ADD 1/4/20/3 Sect. 1.0 - Skilngs Rev. 1 08/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME.	Emerson Process Managan	nent. Rosemount Analytical Inc.	
MANUFACTURERS ADDRESS.	2400 Barranca Parkway, Iry	ina, ÇA 92606	
PLANT LOCATIONS	Address above and Circuito	del Progreso #27. Parrque Industrial Progr	esso, Mexicali, BC, Mexico, CP-21190
		PROLE ONE CATEGORY ONLY	TOTAL DE THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conne E Strainers, filters, separators, an	options, and hose assemblies: Id steem traps	all types	Product data sheets and proof pressure tests.
boilers, pressure veasels, piping H. Pressure retaining components	re relief devices acceptable as g and fusible plugs that do not fell into one of the	primary over pressure protection on above categories	
		eating CNSC or ASME requirements)	
SHOW MANUFACTURERS NAME	TRADEMARK, OR LOGO	S IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
ROSEMO Ana	DUNT ' lytical		POAGED CO WELDED IN WHOUGHT IN CAST IN OTHER REDISCRIBE OTHER REDISCRIBE OTHER REDISCRIBED THERE
	•	TION OF THE ACTUAL ITEMS TO BE RE	
Model 398 Product Data Sheet, PC	JO-71-098. MWV. K .		
my knowledge represents the prosemble represents the prosemble represents the prosemble represents the prosemble representation of these fittings is reprinted by the prosent and has been verified by the prosention of the prosention of the prosent of the prosent representation	a end product do solemnly oduct for which registration ation markings are in according to the solemnia of the	Emerson Process Management and being declare that the information contained it is sought. The dimensions, materials ordered with the herein named standarrol Program which extends to each place as being suitable for the ving that it is of the same force and effections.	t in this form is true and to the best of construction, pressure rds. I further declare that the int where fabrication occurs in whole it purpose and I make this solemn act as if made under oath. CATHERINE ANN STIP
Occlared before me at Orange (his 1274 day of March Commissioner of Oaths	County. Caffornia JUSA	U S E	Commission # 1897425 Notary Public - California E I A 1. Orange County My Comm. Expires Dec 5, 2016
This regi	This space Istration must be revalidate	o for Regulatory Authority used after ten (10) years from the day of	NUNAVUT.
CRN: 0F07880.2 AD	D	Nuñavut	Pressure Vessels Act
_		Manage	1
FID#: 14714			REGISTERED F07880.2 N add